



MACHINE LEARNING WITH PYTHON

FEATURE EXTRACTION

Themistoklis Diamantopoulos

Principal Component Analysis

- Step 1: Scale the data




Principal Component Analysis

- Step 2: Find dimensions that maximize variance
 - Compute covariance matrix
 - Get eigenvalues and eigenvectors

$$\begin{array}{c} h \quad u \\ h \begin{pmatrix} 2.0 & 0.8 \\ 0.8 & 0.6 \end{pmatrix} \end{array} \rightarrow \text{cov}(h,u) = \frac{1}{n} \sum_{i=1}^n h_i u_i$$

$$\begin{pmatrix} 2.0 & 0.8 \\ 0.8 & 0.6 \end{pmatrix} \begin{pmatrix} e_h \\ e_u \end{pmatrix} = \lambda_e \begin{pmatrix} e_h \\ e_u \end{pmatrix}$$

$$\begin{pmatrix} 2.0 & 0.8 \\ 0.8 & 0.6 \end{pmatrix} \begin{pmatrix} f_h \\ f_u \end{pmatrix} = \lambda_f \begin{pmatrix} f_h \\ f_u \end{pmatrix}$$



Principal Component Analysis

- Step 3: Project data points to PCs
 - Keep less dimensions

